

Headquarters

TAIWAN

7F., No.106, Zhouzi St., Neihu District, Taipei City 114, Taiwan Tel: +886-2-8797-8833

E-mail: service@silicon-power.com

Global Branch Offices

SP ASIA - JAPAN

Japan Subsidiary 日本本社

7F Ueno SK Bld., 1-4-10 Shitaya, Taito-ku, Tokyo 110-0004 Japan 110-0004 東京都台東区下谷 1 丁目 4番 10号 上野 SK ビル 7階 Tel: +81-3-5830-2051, +81-3-5830-2061 (Support)

E-mail: japan_service@silicon-power.com

Osaka Office 西日本営業所

5F Shin-nakajima Bld., 1-9-20 Nishinakajima, Yodogawa-ku, Osaka, 532-0011 Japan 532-0011 大阪府大阪市淀川区西中島 1 丁目 9 番 20 号 新中島ビル 4 階 Tel: +81-6-6886-3232

E-mail: japan_service@silicon-power.com

SP ASIA - CHINA

Room 2501, Unit 1, Building 12, Jindi GeLinDongJun, No. 10, Fangzhi Road, Hongshan District, Wuhan City, Hubei Province, China Zip Code 430070

Tel: +86-18607142500

E-mail: service@silicon-power.com

SP EUROPE - THE NETHERLANDS

Antennestraat 16, 1322AB, Almere, The Netherlands

Tel: +31(0)85-5600010

E-mail: service@eu.silicon-power.com

SP AMERICAS - USA

4590 Enterprise Street, Fremont CA 94538 E-mail: UStech@silicon-power.com




www.silicon-power.com

Information might be changed or updated without notice.

Il trademarks, brands and names are the property of their respective owners



PHOTOGRAPHY CATALOGUE





Keep Shooting, Stay Equipped

Capture every photography adventure effortlessly with Silicon-Power's diversified storage options. Snap, save, and soak in the memories with space to spare, keeping pace with your life's every click.

Enough Capacity For All Of Your Needs



The Speed To Capture



Excellent Compatibility




























High Speed Utilizes PCIe, NVMe interface offering theoretical transfer speeds of up to 3500MB/s.

Future Proof Compatible with XQD card slots, allowing many high-end cameras to use it with a

firmware update.

Durability Highly resistant to extreme conditions like temperature, shock, and vibration.

Reliable Has built-in error correction code (ECC) functionality.

Compact: Small size makes it suitable for portable devices.

Compatibility Widely adopted by professional photography and video products.

CFexpress Cards

StudioPro CFexpress 4.0 Type B





Interface	PCIe Gen 4 x 2
Read / Write	Up to 3500 / 3100 MB/s (1TB, 2TE
	Up to 3500 / 2800 MB/s (512GB)
Sustained Speeds	Write Up to 1550 MB/s (1TB, 2TB)
	Write Up to 800 MB/s (512GB)
Capacity	512GB / 1TB / 2TB
Operating Temperature	-12°C - 72°C
Warranty	3 years

512GB SP512GBCFFB41V10 1TB SP001TBCFEB41V10 2TB SP002TBCFEB41V10



StudioPro VPG400







Interface	PCle Gen 3 x 2
Read / Write	Up to 1800 / 1650 MB/s
Capacity	400GB / 800GB / 1.6TB
Operating Temperature	-10°C - 70°C
Warranty	5 years

400GB SP400GBCFEB21V12 800GB SP800GBCFEB21V12 1.6TB SP1K6GBCFEB21V12



CFexpress Type B





Interface	PCle Gen 3 x 2
Read / Write	Up to 1800 / 1600 MB/s (1TB, 2TB)
	Up to 1800 / 1200 MB/s (512GB)
	Up to 1800 / 600 MB/s (256GB)
Capacity	256GB / 512GB / 1TB / 2TB
Operating Temperature	-10°C - 70°C
Warranty	3 years

256GB SP256GBCFEB21V10 **512GB** SP512GBCFEB21V10 1TB SP001TBCFEB21V10 2TB SP002TBCFEB21V10



05 06

^{*} Note: The CFexpress v4.00 Logo, CFexpress Ver.2.0 Logo and VPG Profile 4 Logo are trademarks licensed by the CompactFlash Association. Transfer rate is based on internal SP testing. Actual transfer speed may very due to host hardware, software and usage.





High Speed Options

microSD cards under the UHS-I/UHS-II and V90/V60/V30 standards can handle high-speed photography and video recording.

Compatibility

Widely supported in a range of camera models, especially DSLR and mirrorless cameras.

Durability

Comes with features like shockproof, waterproof, and x-ray proof.

Capacity

Available in larger capacities (SDHC up to 32GB, SDXC up to 1.5TB), suitable for high-resolution photography.

SD Cards

Superior Pro



Read / Write Up to 290 / 260 MB/s

Capacity 64GB / 128GB / 256GB / 512GB

Operating Temperature 0°C - 70°C

Warranty 5 years

64GB SP064GBSDXJA2V10 128GB SP128GBSDXJA2V10 256GB SP256GBSDXJA2V10 **512GB** SP512GBSDXJA2V10



microSD Cards

Inspire

I 3 V30 A2 ULTRAHD

Read / Write Up to 170 / 160 MB/s

Capacity 128GB / 256GB / 512GB / 1TB

Operating Temperature 0°C - 70°C

Warranty 10 years

128GB SP128GBSTXLA2VC2 256GB SP256GBSTXLA2VC2 512GB SP512GBSTXLA2VC2 1TB SP001TBSTXLA2VC2



Superior Pro



Read / Write Up to 280 / 170 MB/s Capacity 128GB / 256GB / 512GB

Operating Temperature 0°C - 70°C

Warranty 5 years

128GB SP128GBSDXJV6V10 256GB SP256GBSDXJV6V10 **512GB** SP512GBSDXJV6V10



High Endurance





Read / Write 100 / 80 MB/s

Capacity 32GB / 64GB / 128GB / 256GB / 512GB

Operating Temperature -25°C - 85°C

Warranty 2 years

32GB SP032GBSTHDV3V1HSP 64GB SP064GBSTXDV3V1HSP 128GB SP128GBSTXDV3V1HSP 256GB SP256GBSTXDV3V1HSP 512GB SP512GBSTXDV3V1HSP



Superior



Read / Write Up to 100 / 80 MB/s

Operating Temperature 0°C - 70°C

Warranty 5 years

64GB SP064GBSDXCV3V10 128GB SP128GBSDXCV3V10 256GB SP256GBSDXCV3V10 **512GB** SP512GBSDXCV3V10



Superior

I 3 V30 A2 ULTRA HD

Read / Write Up to 100 / 80 MB/s

Capacity 64GB / 128GB / 256GB / 512GB / 1TB / 1.5TB

Operating Temperature 0°C - 70°C

Warranty 5 years

64GB SP064GBSTXDA2V20SP 128GB SP128GBSTXDA2V20SP 256GB SP256GBSTXDA2V20SP 512GB SP512GBSTXDA2V20SP 1TB SP001TBSTXDA2V20SP 1.5TB SP1K5GBSTXDA2V20SE



Capacity 64GB / 128GB / 256GB / 512GB

Transfer rate is based on internal SP testing. Actual transfer speed may very due to host hardware, software and usage.

07

^{*} Note: SDHC, microSDHC, SDXC and microSDXC Logos are trademarks of SD-3C, LLC.





Whether your outdoor activity needs a military-graded storage drive, you're mobile-first and need the smallest storage drive for your on-the-go lifestyle, or you simply need the largest storage drive for your massive media, we've got you covered.



We offer different types of storage for different needs, find the best for your Variety personal taste

High Speed Options Offering selected storage solutions incorporating SSD technology, enabling an

impressive read and write speeds

Comes with free downloadable SP widget for backup, restore, and AES 256-bit encryption

Free Widget

Easy to Use Easy plug and play use

Portable SSD

PX10

Interface	USB 3.2 Gen 2	
Read / Write	Up to 1050 / 1050 MB/s	
Cable	USB-C to USB-C	
Capacity	256GB / 512GB / 1TB / 2TB / 4TB	
Warranty	Warranty 3 years	
256GB SP256GB	PSDPX10CK ■ /SP256GBPSDPX10CP ■	
512GB SP512GB	PSDPX10CK ■ /SP512GBPSDPX10CP ■	
1TB SP010TB	PSDPX10CK ■ /SP010TBPSDPX10CP ■	
2TB SP020TB	PSDPX10CK ■ /SP020TBPSDPX10CP ■	
4TB SP040TBI	PSDPX10CK ■ /SP040TBPSDPX10CP ■	



DS72

Interface	USB Type-A and USB Type-C 3.2 Gen 2,		
	two interface in one		
Read / Write	Up to 1050 / 850 MB/s		
Capacity	apacity 250GB / 500GB / 1TB / 2TB		
Warranty	5 years		

250GB	SP250GBUC3S72V1K	i	/ SP250GBUC3S72V1G ■ / SP250GBUC3S72V1R ■	
500GB	SP500GBUC3S72V1K	ī	/ SP500GBUC3S72V1G	
1TB	SP001TBUC3S72V1K	ī	/ SP001TBUC3S72V1G / SP001TBUC3S72V1R	
2TB	SP002TBUC3S72V1K	ī	/ SP002TBUC3S72V1G / SP002TBUC3S72V1R	



PC60

Interface	USB 3.2 Gen 2
Read / Write	Up to 540 / 500 MB/s
Cable	USB-C to USB-A
Capacity	240GB / 256GB / 480GB / 512GB
	960GB / 1TB / 1.92TB / 2TB / 4TB
Warranty	3 years

240GB SP240GBPSDPC60CK	512GB SP512GBPSDPC60CK	1.9TB SP1K9GBPSDPC60CK
256GB SP256GBPSDPC60CK	960GB SP960GBPSDPC60CK	2TB SP020TBPSDPC60CK
480GB SP480GBPSDPC60CK	1TB SP010TBPSDPC60CK	4TB SP040TBPSDPC60CK



Portable Hard Drives (2.5")

Armor A85B





nterface	USB 3.2 Gen 1	
apacity	1TB / 2TB / 4TB / 5TB	
Material	Aluminum + Rubber + Plastic	
larranty	3 years	1

Armor A66






Interface USB 3.2 Gen 1 Capacity 1TB / 2TB / 4TB / 5TB

Material Rubber + Plastic Warranty 3 years



1TB SP010TBPHD85BS3K 4TB SP040TBPHD85BS3K 2TB SP020TBPHD85BS3K 5TB SP050TBPHD85BS3K 2TB SP020TBPHD66SS3Y / SP020TBPHD66SS3B / SP020TBPHD66SS3K ■





High Speed Featuring a USB 3.2 Gen 1 interface for swift data transfers.

Simplicity Read and write on multiple cards simultaneously even without a need of a external

power source.

Compatibility Supports popular memory formats like SD, microSD, MMC, CF, and MS.

Docking Station



Card Reader

All-in-One
USB Type-A 3.2 Gen 1

SD / MM	SDXC, SDHC, SD, MMC	X1 SD/MMC Card
microS	microSDXC, microSDHC, microSD	
С	F CompactFlash I, up to UDMA 7	
	(does not support the CF II card)	570
M	MS, MS PRO, MS DUO, MS PRO DUO,	
	MS PRO-HG, MS XC DUO	
Warrant	y 2 years	
SPU3A05REDEL6I	.0K	
(P)		microSD Card X1 X1 CF Card

3 1₁

^{*} Note: SDHC, microSDHC, SDXC and microSDXC Logos are trademarks of SD-3C, LLC.

^{**} Note: The CF 4.1 Logo and the New CF Logo are trademarks licensed by the CompactFlash Association.