

#### Headquarters

#### **TAIWAN**

7F., No.106, Zhouzi St., Neihu District, Taipei City 114, Taiwan Tel: +886-2-8797-8833

E-mail: service@silicon-power.com

#### **Global Branch Offices**

#### SP ASIA - JAPAN

Japan Subsidiary 日本本社

7F Ueno SK Bld., 1-4-10 Shitaya, Taito-ku, Tokyo 110-0004 Japan 110-0004 東京都台東区下谷 1 丁目 4番 10号 上野 SK ビル 7階 Tel: +81-3-5830-2051, +81-3-5830-2061 (Support)

E-mail: japan\_service@silicon-power.com

#### Osaka Office 西日本営業所

5F Shin-nakajima Bld., 1-9-20 Nishinakajima, Yodogawa-ku, Osaka, 532-0011 Japan 532-0011 大阪府大阪市淀川区西中島 1 丁目 9 番 20 号 新中島ビル 4 階 Tel: +81-6-6886-3232

E-mail: japan\_service@silicon-power.com

#### SP ASIA - CHINA

Room 2501, Unit 1, Building 12, Jindi GeLinDongJun, No. 10, Fangzhi Road, Hongshan District, Wuhan City, Hubei Province, China Zip Code 430070

Tel: +86-18607142500

E-mail: service@silicon-power.com

#### SP EUROPE - THE NETHERLANDS

Antennestraat 16, 1322AB, Almere, The Netherlands

Tel: +31(0)85-5600010

E-mail: service@eu.silicon-power.com

#### SP AMERICAS - USA

4590 Enterprise Street, Fremont CA 94538 E-mail: UStech@silicon-power.com



#### www.silicon-power.com

Information might be changed or updated without notice.

All trademarks, brands and names are the property of their respective owners ©2024 SILICON POWER Computer & Communications, Inc., All Rights Reserved.



PHOTOGRAPHY CATALOGUE





# Keep Shooting, Stay Equipped

Capture every photography adventure effortlessly with Silicon-Power's diversified storage options. Snap, save, and soak in the memories with space to spare, keeping pace with your life's every click.

**Enough Capacity** For All Of Your Needs



The Speed To Capture



Excellent Compatibility


























photographers and videographers. Whether you are an early adopter embracing the lightning-fast capabilities of CFexpress or a seasoned expert relying on the proven track record of CFast, both options offer unparalleled potential.



**High Speed** Utilizes PCIe, NVMe interface offering theoretical transfer speeds of up to 1800MB/s.

Compatible with XQD card slots, allowing many high-end cameras to use it with a **Future Proof** 

firmware update.

Highly resistant to extreme conditions like temperature, shock, and vibration. Durability

Has built-in error correction code (ECC) functionality. Reliable

Compact: Small size makes it suitable for portable devices.

Compatibility Widely adopted by professional photography and video products.

# **CFexpress Card**

# StudioPro CFexpress 4.0 Type B





Interface	PCIe Gen 4 x 2
Read / Write	Up to 3500 / 3100 MB/s (1TB, 2TB)
	Up to 3500 / 2800 MB/s (512GB)
Sustained Speeds	Write Up to 1550 MB/s (1TB, 2TB)
	Write Up to 800 MB/s (512GB)
Capacity	512GB / 1TB / 2TB
Operating Temperature	-12°C - 72°C
Warranty	3 years

512GB SP512GBCFEB41V10 1TB SP001TBCFEB41V10 2TB SP002TBCFEB41V10



# StudioPro VPG400







Interface	PCle Gen 3 x 2
Read / Write	Up to 1800 / 1650 MB/s
Capacity	400GB / 800GB / 1.6TE
Operating Temperature	-10°C - 70°C
Warranty	5 years

400GB SP400GBCFEB21V12 800GB SP800GBCFEB21V12 1.6TB SP1K6GBCFEB21V12



# **CFexpress Type B**





Interface	PCIe Gen 3 x 2
Read / Write	Up to 1800 / 1600 MB/s (1TB, 2T
Capacity	256GB / 512GB / 1TB / 2TB
Operating Temperature	-10°C - 70°C
Warranty	3 years

256GB SP256GBCFEB21V10 512GB SP512GBCFEB21V10 1TB SP001TBCFEB21V10

2TB SP002TBCFEB21V10



#### **CFast 2.0 Cards**

# Cinema X





Interface	SATA III 6.0Gbps
Read / Write	Up to 540 / 450 MB/s
Capacity	128GB / 256GB
Operating Temperature	-10°C - 70°C
Warranty	3 years

128GB SP128GICFX511NV0BM 256GB SP256GICFX511NV0BM



# Cinema Pro





Interface SATA III 6.0Gbps	
Read / Write	Up to 530 / 330 MB/s
Capacity	128GB / 256GB / 512GB
Operating Temperature	-10°C - 70°C
Warranty	3 years

128GB SP128GICFX311NV0BM 256GB SP256GICFX311NV0BM 512GB SP512GICFX311NV0BM



<sup>\*</sup> Note: The CFexpress v4.00 Logo, CFexpress Ver.2.0 Logo, VPG Profile 4 Logo and CFast 2.0 Logo are trademarks licensed by the CompactFlash Association. Transfer rate is based on internal SP testing. Actual transfer speed may very due to host hardware, software and usage.

05 06





microSD cards under the UHS-I/UHS-II and V60/V30 standards can handle **High Speed Options** high-speed photography and video recording.

Compatibility Widely supported in a range of camera models, especially DSLR and mirrorless cameras.

Comes with features like shockproof, waterproof, and x-ray proof. **Durability** 

Capacity

Available in larger capacities (SDHC up to 32GB, SDXC up to 1TB), suitable for high-resolution photography.

#### **SD Cards**

# Superior Pro



Read / Write Up to 290 / 260 MB/s Capacity 64GB / 128GB / 256GB / 512GB

Operating Temperature 0°C - 70°C Warranty 5 years

64GB SP064GBSDX.IA2V10 **128GB** SP128GBSDXJA2V10

**256GB** SP256GBSDXJA2V10 **512GB** SP512GBSDXJA2V10



#### microSD Cards

# **High Endurance**

I 3 V30 A1



Read / Write 100 / 80 MB/s

Capacity 32GB / 64GB / 128GB / 256GB / 512GB

Operating Temperature -25°C - 85°C

Warranty 2 years

32GB SP032GBSTHDV3V1HSP 64GB SP064GBSTXDV3V1HSP 128GB SP128GBSTXDV3V1HSP 256GB SP256GBSTXDV3V1HSP 512GB SP512GBSTXDV3V1HSP



# Superior

I 3 V30 ULTRAHD

Read / Write Up to 100 / 80 MB/s Capacity 64GB / 128GB / 256GB / 512GB

Operating Temperature 0°C - 70°C

Warranty 5 years

64GB SP064GBSDXCV3V10 128GB SP128GBSDXCV3V10 256GB SP256GBSDXCV3V10

**512GB** SP512GBSDXCV3V10



# Superior

I 3 V30 A2 ULTRA HD



Read / Write Up to 100 / 80 MB/s

Capacity 64GB / 128GB / 256GB / 512GB / 1TB / 1.5TB

Operating Temperature 0°C - 70°C

Warranty 5 years

64GB SP064GBSTXDA2V20SP 128GB SP128GBSTXDA2V20SP 256GB SP256GBSTXDA2V20SP 512GB SP512GBSTXDA2V20SP 1TB SP001TBSTXDA2V20SP 1.5TB SP1K5GBSTXDA2V20SF



#### Elite



Read Up to 85 MB/s Capacity 8GB / 16GB / 32GB / 64GB / 128GB

Operating Temperature 0° C - 70° C

Warranty 5 years

8GB SP008GBSDHAU1V10 16GB SP016GBSDHAU1V10 32GB SP032GBSDHAU1V10 64GB SP064GBSDXAU1V10



Elite

I U V10 A1 FULL HD

Read Up to 100 MB/s Capacity 32GB / 64GB / 128GB / 256GB Operating Temperature 0°C - 70°C

Warranty 5 years

32GB SP032GBSTHBV1V20SP 64GB SP064GBSTXBV1V20SP 128GB SP128GBSTXBV1V20SP 256GB SP256GBSTXBV1V20SP



Transfer rate is based on internal SP testing. Actual transfer speed may very due to host hardware, software and usage.

07

<sup>\*</sup> Note: SDHC, microSDHC, SDXC and microSDXC Logos are trademarks of SD-3C, LLC.





Silicon Power offers a variety of devices to help you secure your memory.

Whether your outdoor activity needs a military-graded storage drive,
you're mobile-first and need the smallest storage drive for your on-the-go lifestyle,
or you simply need the largest storage drive for your massive media, we've got you covered.



**Variety** We offer different types of storage for different needs, find the best for your personal taste

High Speed Options Offering selected storage solutions incorporating SSD technology, enabling an

impressive read and write speeds

Comes with free downloadable SP widget for backup, restore, and AES 256-bit

encryption

Easy to Use | Easy plug and play use

**Free Widget** 

### **Portable SSD**

# PX10

Interface	USB 3.2 Gen 2
Read / Write	Up to 1050 / 1050 MB/s
Cable	USB-C to USB-C
Capacity	256GB / 512GB / 1TB / 2TB / 4TB
Warranty	3 years

256GB	SP256GBPSDPX10CK	/ SP256GBPSDPX10CP
512GB	SP512GBPSDPX10CK ■	/ SP512GBPSDPX10CP
1TB	SP010TBPSDPX10CK ■	/ SP010TBPSDPX10CP
2TB	SP020TBPSDPX10CK ■	/ SP020TBPSDPX10CP
4TB	SP040TBPSDPX10CK ■	/ SP040TBPSDPX10CP



# **DS72**

Interface	USB Type-A and USB Type-C 3.2 Gen 2,	
	two interface in one	
Read / Write	Up to 1050 / 850 MB/s	
Capacity	250GB / 500GB / 1TB / 2TB	
Warranty	5 vears	

250GB SP250GBUC3S72V1K 500GB SP500GBUC3S72V1K 1TB SP001TBUC3S72V1K 2TB SP002TBUC3S72V1K



# PC60

Interface	USB 3.2 Gen 2
Read / Write	Up to 540 / 500 MB/s
Cable	USB-C to USB-A
Capacity	240GB / 256GB / 480GB / 512GB /
	960GB / 1TB / 1.92TB / 2TB / 4TB
Warranty	3 years

 240GB SP240GBPSDPC60CK
 960GB SP960GBPSDPC60CK

 256GB SP256GBPSDPC60CK
 1TB SP010TBPSDPC60CK

 480GB SP480GBPSDPC60CK
 1.9TB SP1K9GBPSDPC60CK

 512GB SP512GBPSDPC60CK
 2TB SP020TBPSDPC60CK

 4TB SP040TBPSDPC60CK
 4TB SP040TBPSDPC60CK



# MS70

Interface	USB Type-A 3.2 Gen 2
Read / Write	Up to 1050 / 850 MB/s
Capacity	250GB / 500GB / 1TB / 2TB
Warranty	5 years

250GB SP250GBUF3S70V1G 500GB SP500GBUF3S70V1G 1TB SP001TBUF3S70V1G 2TB SP002TBUF3S70V1G



# MS60

Interface	USB Type-A 3.2 Gen 2
Read / Write	Up to 600 / 500 MB/s
Capacity	250GB / 500GB / 1TB
Warranty	5 years

250GB SP250GBUF3S60V1B 500GB SP500GBUF3S60V1B



# **Portable Hard Drives (2.5")**

# Armor A85B





terface	USB 3.2 Gen 1	
apacity	1TB / 2TB / 4TB / 5TB	
/laterial	Aluminum + Rubber + Plastic	
arranty	3 years	

Armor A66





Interface	USB 3.2 Gen 1
Capacity	1TB / 2TB / 4TB / 5TB
Material	Rubber + Plastic

Warranty 3 years



 1TB
 SP010TBPHD85BS3K
 4TB
 SP040TBPHD85BS3K


 2TB
 SP020TBPHD85BS3K
 5TB
 SP050TBPHD85BS3K

 1TB
 SP010TBPHD66SS3Y
 / SP010TBPHD66SS3B
 / SP010TBPHD66SS3K

 2TB
 SP020TBPHD66SS3Y
 / SP020TBPHD66SS3B
 / SP020TBPHD66SS3K

 4TB
 SP040TBPHD66LS3Y
 / SP040TBPHD66LS3B
 / SP040TBPHD66LS3K

 5TB
 SP050TBPHD66LS3Y
 / SP050TBPHD66LS3B
 / SP050TBPHD66LS3K





**High Speed** Featuring a USB 3.2 Gen 1 interface for swift data transfers.

Simplicity Read and write on multiple cards simultaneously even without a need of a external

power source.

**Compatibility** Supports popular memory formats like SD, microSD, MMC, CF, and MS.

# **Docking Station**



### **Card Reader**

# All-in-One USB Type-A 3.2 Gen 1

SD / MMC	SDXC, SDHC, SD, MMC
microSD	microSDXC, microSDHC, microSD
CF	CompactFlash I, up to UDMA 7
	(does not support the CF II card)
MS	MS, MS PRO, MS DUO, MS PRO DUO,
	MS PRO-HG, MS XC DUO
Warranty	2 years

SPU3A05REDEL6L0K









13

 $<sup>^{\</sup>star}$   $\,$  Note: SDHC, microSDHC, SDXC and microSDXC Logos are trademarks of SD-3C, LLC.

<sup>\*\*</sup> Note: The CF 4.1 Logo and the New CF Logo are trademarks licensed by the CompactFlash Association.